

0001×1-nim




Million Control Contro



The story of Triumph has been one of growth ever since the new Hinckley factory came on stream in 1990. It confounded those who thought the once great British motorcycle industry could never hope to regain its former glory, but there are three important factors behind the company's success which give it a unique

First, the factory itself is one of the most modern motorcycle manufacturing plants in the world, packed with modern facilities designed to maintain standards of quality and consistency.

Second, and just as important is Triumph's policy of listening to its customers, then responding with rapidity and accuracy.





networks keeps the factory fully in touch with the requirements of Triumph owners, while the flexibility of its engineering and management structures ensures that changes can be put into effect quickly and efficiently.

Satisfying existing customers will always be a priority, but Triumph understands the need to keep widening its appeal. The latest machine to do this is the Thunderbird Sport, a dazzling new machine in Triumph's authentic classic style which takes the handling of the original three-cylinder machines into a new and exciting arena.

Whether it's a tiny detail or a whole new model of motorcycle, Triumph's stamp of innovation, engineering excellence and empathy with the motorcyclist will always be in evidence.

That's why Triumph is so proud of its past, and so relishing its future.



TRUMPH TRIUMPH

Daytona 75595

The power of technology.

The sensational Daytona has thrust Triumph forcefully

to the forefront of high performance

supersports motorcycles with its blistering

acceleration, inch-perfect

handling and

breathtaking brakes.

Yet it still offers

additional

qualities that

single it out as a

Triumph.

The fuel-injected

bhp) output is

accompanied by the

engine's 130 PS (128

rasping howl that's the striking signature of a

triple pumping out power.

The unique, oval-section aluminium frame and single-sided swingarm provide a dynamic visual impact intrinsic in the Daytona's exquisite good looks.

The compliant, fully adjustable

suspension is

designed for realworld riding,
confirming Triumph's
understanding of the
needs of the
discerning, sports-

The Daytona is the way to go.

minded road rider.



Items featured may be Triumph accessories.
Please consult your dealer











1509 SPEED viple

Brute Force.

The boldest bike yet to wear the Triumph badge, the mean and moody Speed Triple is the ultimate in stripped-down café-racer style.

To some it isn't pretty, but to others its brutal looks appeal – the Speed Triple's beauty is in its functionality, exposed and single-minded, every part in place to do a job.

And what a job it does – the chassis is pure Daytona, which means a sports bike's frame, suspension and brakes.

The engine is unique to the Speed Triple,
based on the established three
cylinder motors but lighter and
more powerful with its charging
fuel-injected 108 PS (106 bhp).

The two combine to produce a
real rider's machine – precise,
rapid and responsive, it's a truly
rewarding ride. And with all the
qualities of a Triumph, it's just as
rewarding to own.

Items featured may be Triumph accessories.

Please consult your dealer



Jet Black







SPORTS

Evolution Sprints ahead.

Triumph's policy of listen and respond has borne more fruit, as two Sprint models have been created from the original.

The Executive is designed for riders who use their Sprints to tour, so comes with integrated luggage.

The Sports has lower bars, firmer suspension and higher exhausts to give it an edge when the pace hots

Yet each machine is as versatile as ever, ready to respond to the mood you're in with an all-round ability that makes it the perfect partner in real-world motorcycling.

At the heart of the Sprint's ability is its proven three cylinder engine, with the power to excite and a sound and feel that's still unique to Triumph.

With the Sprint's sure handling and powerful brakes the result is truly a bike for all seasons.





Tornado Red



Trophy

Whatever you want.

The Trophy has everything for the serious motorcyclist who gets as much pleasure from going far as going fast.

In its role as tourer it offers supreme comfort, excellent weather protection and enough torque to make light of the toughest trips.

For sportier riding the powerful engine and agile handling make an increase in pace something to savour.

But this is a Triumph, so you get even more.

The air of elegance is standard, but there's plenty of choice as well. You can select the evocative 900cc three cylinder engine with its unique blend of power and character, or the 1200cc four with its huge spread of torque and silky smoothness. And the range of



Platinum



Pacific Blue

other options helps you create a motorcycle that meets your personal needs.

Trophy - miles ahead.



Items featured may be Triumph accessories.
Please consult your dealer



British Racing Green



Turquoise







TRIDENT

Built in tradition.

The Trident is the bike which has established

everything that's right about

Triumph's Hinckley factory.

The inspiring three cylinder engine which powers it has become an

instant classic, blending useable,

invigorating

performance with

looks, qualities

which time has

failed to dim.

Triumph's listening

approach, evolving

since its introduction as owners fed back their

comments to the dealer network.


This policy continues, as the latest Trident now

features swooping new rear bodywork, borrowed from

the Sprint and designed to be both stylish and functional.

> Two engine options are available. The 750 provides the most affordable entry to the

rewards of owning a Triumph, while the 900 adds its prodigious spread of torque.



TRIUMPH



Pacific Blue











Adventurer

Original thinking.

expect.

The Adventurer interprets the popular custom theme as only Triumph can, with a unique blend of cruiser styling that sacrifices none of Triumph's history.

The result is a bike with compelling looks which is not only distinct in design from other custom machines, but still provides the quality riding experience Triumph customers have come to

From the security of the handling and the strength of the brakes to the forceful, responsive thrust from the high torque, three cylinder engine, the performance is something to relish. From the classic style of the fuel tank and stubby, megaphone silencers to the swathes of chrome and authentic wire spoked wheels, the high profile image is something to revel in.

But it hasn't stood still – once again Triumph has responded to its customers' feedback, offering cruiser style bars as standard fitment for the first time on the Adventurer, while practicality is enhanced by the inclusion of a roadster seat, sissy bar and leather panniers as original equipment.



Items featured may be Triumph accessories.

Please consult your dealer







Turquoise & Silver



THUNDERBIRD

Advancing tradition.

The Thunderbird is the living image of Triumph's long and colourful past, brought up to date with state of the art engineering.

The style is classic, from the wire-spoked wheels and the lustrous chrome to the curvaceous tear-drop tank.

But the ride is unmistakably modern, with the security of handling, forceful acceleration and braking today's riders expect.

The traditional virtues extend to the power of the acclaimed three cylinder engine, which in the Thunderbird has been tuned for extra torque at low revs to suit the personality of the bike.

The modern advantage is the way it's achieved – dependable and easy to use.

To Triumph the bike is only the beginning in the quest for individuality. The wide range of optional factory accessories from embellishing trim to practical

leather panniers lets you shape your Thunderbird to suit your personal taste.

Thunderbird - Triumph making history.



Imperial Green & Silver



Jet Black & Tornado Red



Cardinal Red & Silver





THUNDERBIRD SPORT

Daring and different.

The exhilarating new Thunderbird Sport is the machine for the rider who wants a mix of the classic style that only the Triumph badge makes authentic, with the thrilling performance of a sports bike.

A host of detail changes distinguishes the
Sport from the Thunderbird, and central
to the hard-riding, flat-track look are flat
handlebars and the new, three-into-two exhaust,
finished to perfection with two reverse-cone
silencers, paired up on the right of the bike.
But cosmetic changes are only part of the
package. The 17 inch wheels and longer travel
suspension with full adjustability endow the
Sport with superb handling, complemented by
uprated, twin front disc brakes.

Add to that the soulful three cylinder engine with its eager 83 PS (82 bhp) and mighty 76Nm (56 lbf.ft) of torque, and the result is one of the

most intoxicating machines ever to leave the Hinckley factory.



Racing Yellow & Jet Black



Tornado Red & Jet Black

Items featured may be Triumph accessories. Please consult your dealer





22							
Model		Daytona T595	T509 Speed Triple	Sprint Sports	Sprint Executive	Trophy 900	Trophy 1200
Engine							
Туре		Liquid-cooled, DOHC, in-line 3 cylinder	Liquid-cooled, DOHC, in-line 3 cylinder	Liquid-cooled, DOHC, in-line 3 cylinder	Liquid-cooled, DOHC, in-line 3 cylinder	Liquid-cooled, DOHC, in-line 3 cylinder	Liquid-cooled, DOHC, in-line 4 cylinder
Capacity		955cc	885cc	885cc	885cc	885cc	1180cc
Bore/Stroke		79 x 65mm	76 x 65mm	76 x 65mm	76 x 65mm	76 x 65mm	76 x 65mm
Compression Rat	ntio	11.2:1	11.0:1	10.6:1	10.6:1	10.6:1	10.6:1
Fuel System		Multipoint sequential electronic fuel	Multipoint sequential electronic fuel	3 x 36mm flat side CV carburettors	3 x 36mm flat side CV carburettors	3 x 36mm flat side CV carburettors	4 x 36mm flat side CV carburettors
		injection	injection				
Transmission							
Primary Drive		Gear	Gear	Gear	Gear	Gear	Gear
Clutch		Wet, multi-plate	Wet, multi-plate	Wet, multi-plate	Wet, multi-plate	Wet, multi-plate	Wet, multi-plate
Gearbox		6-speed	6-speed	6-speed	6-speed	6-speed	6-speed
Electrics							
Ignition		Digital - Inductive type via electronic	Digital - Inductive type via electronic	Digital - Inductive type	Digital - Inductive type	Digital - Inductive type	Digital - Inductive type
		engine management system	engine management system				
Headlight		2 x 12v 60/55w halogen H4	2 x 12v 60/55w halogen H4	2 x 12v 60/55w halogen H4	2 x 12v 60/55w halogen H4	2 x 12v 60/55w halogen H4	2 x 12v 60/55w halogen H4
Cycle Parts							
Frame		Aluminium alloy	Aluminium alloy	Micro alloyed high tensile steel	Micro alloyed high tensile steel	Micro alloyed high tensile steel	Micro alloyed high tensile steel
Swinging Arm		Aluminium alloy, single sided with eccentric chain adjuster	Aluminium alloy, single sided with eccentric chain adjuster	Aluminium alloy with eccentric chain adjuster	Aluminium alloy with eccentric chain adjuster	Aluminium alloy with eccentric chain adjuster	Aluminium alloy with eccentric chain adjuster
Wheels	Front:	Alloy 3 spoke, 17"x 3.5"	Alloy 3 spoke, 17"x 3.5"	Alloy 3 spoke, 17"x 3.5"	Alloy 3 spoke, 17"x 3.5"	Alloy 3 spoke, 17"x 3.5"	Alloy 3 spoke, 17"x 3.5"
	Rear:	Alloy 3 spoke, 17"x 6.0"	Alloy 3 spoke, 17"x 6.0"	Alloy 3 spoke, 17"x 5.5"	Alloy 3 spoke, 17"x 5.5"	Alloy 3 spoke, 17"x 5.5"	Alloy 3 spoke, 17"x 5.5"
Tyres	Front:	120/70 ZR 17	120/70 ZR 17	120/70 ZR 17	120/70 ZR 17	120/70 ZR 17	120/70 ZR 17
	Rear:	190/50 ZR 17	190/50 ZR 17	170/60 ZR 17	170/60 ZR 17	170/60 ZR 17	170/60 ZR 17
Suspension	Front:	45mm forks with dual rate springs adjustable for compression, rebound damping and spring pre-load	45mm forks with dual rate springs adjustable for compression, rebound damping and spring pre-load	43mm forks with triple rate springs adjustable for compression, rebound damping and spring pre-load	43mm forks with dual rate springs	43mm forks with dual rate springs	43mm forks with dual rate springs
	Rear:	Monoshock with adjustable pre-load, rebound damping and compression damping	Monoshock with adjustable pre-load, rebound damping and compression damping	Monoshock with remotely adjustable pre-load and remotely adjustable rebound damping	Monoshock with remotely adjustable pre-load and rebound damping	Monoshock with remotely adjustable pre-load and rebound damping	Monoshock with remotely adjustable pre-load and rebound damping
Brakes	Front:	2 x 320mm floating discs 2 x 4 piston calipers	2 x 320mm floating discs 2 x 4 piston calipers	2 x 310mm floating discs 2 x 4 piston calipers	2 x 310mm floating discs 2 x 4 piston calipers	2 x 310mm floating discs 2 x 4 piston calipers	2 x 310mm floating discs 2 x 4 piston calipers
	Rear:	1 x 220mm disc, 1 x 2 piston caliper	1 x 220mm disc, 1 x 2 piston caliper	1 x 255mm disc 1 x 2 piston caliper	1 x 255mm disc 1 x 2 piston caliper	1 x 255mm disc, 1 x 2 piston caliper with frame mounted torque arm	1 x 255mm disc, 1 x 2 piston caliper with frame mounted torque arm
Dimensions							
		2115mm (83.3in)	2115mm (83.3in)	2152mm (84.7in)	2152mm (84.7in)	2152mm (84.7in)	2152mm (84.7in)
Length Width		720mm (28.3in)	720mm (83.3in)	760mm (29.9in)	760mm (29.9in)	790mm (31.1in)	790mm (31.1in)
Height		720mm (28.3in) 1170mm (46in)	1230mm (48.4in)	1265mm (49.8in)	1265mm (49.8in)	1350mm (53.1in)	1350mm (53.1in)
Seat Height		800mm (31.5in)	800mm (31.5in)	780mm (30.7in)	780mm (30.7in)	790mm (31.1in)	790mm (31.1in)
Wheelbase		1440mm (51.5in)	1437mm (56.6in)	1490mm (58.7in)	1490mm (58.7in)	1490mm (58.7in)	1490mm (58.7in)
Weight (Dry)		198kg (436lb)	196kg (432lb)	215kg (474lb)	218kg (481lb)	220kg (485lb)	235kg (518lb)
Performance	N 70000				3 ()		
(Measured to DIN		420 DC (400 kb) 4 40000	100 DC (100 H)	09 BC (07 hbp) at 0000	09 BS (07 hbs) -+ 0000	00 DC (07 bbs) -t 0000	109 DC (407 bb-) -+ 0000
Maximum Power		130 PS (128 bhp) at 10200 rpm	108 PS (106 bhp) at 9100 rpm	98 PS (97 bhp) at 9000 rpm	98 PS (97 bhp) at 9000 rpm	98 PS (97 bhp) at 9000 rpm	108 PS (107 bhp) at 9000 rpm
Maximum Torque Maximum Revs		100 Nm (74 lbf.ft) at 8500 rpm	85 Nm (63 lbf.ft) at 7500 rpm	83 Nm (61 lbf.ft) at 6500 rpm 9700 rpm	83 Nm (61 lbf.ft) at 6500 rpm 9700 rpm	83 Nm (61 lbf.ft) at 6500 rpm 9700 rpm	104 Nm (77 lbf.ft) at 5000 rpm 9700 rpm
		10700 rpm	9700 rpm			1	
Colours		Tornado Red Lightning Yellow Jet Black	Jet Black Roulette Green Tornado Red	Tornado Red Jet Black	Pacific Blue Volcanic Red Platinum Pritish Paging Green	Platinum Pacific Blue British Racing Green	Platinum Pacific Blue British Racing Green
					British Racing Green	Turquoise	Turquoise

	15.00	the label of the state of the s					
Model		Tiger	Trident 750	Trident 900	Adventurer	Thunderbird	Thunderbird Sport
Engine							
Туре		Liquid-cooled, DOHC, in-line 3 cylinder	Liquid-cooled, DOHC, in-line 3 cylinder	Liquid-cooled, DOHC, in-line 3 cylinder	Liquid-cooled, DOHC, in-line 3 cylinder	Liquid-cooled, DOHC, in-line 3 cylinder	Liquid-cooled, DOHC, in-line 3 cylinder
Capacity		885cc	749cc	885cc	885cc	885cc	885cc
Bore/Stroke		76 x 65mm	76 x 55mm	76 x 65mm	76 x 65mm	76 x 65mm	76 x 65mm
Compression Ratio		10.6:1	11:1	10.6 : 1	10:1	10:1	10:1
Fuel System		3 x 36mm flat side CV carburettors	3 x 36mm flat side CV carburettors	3 x 36mm flat side CV carburettors	3 x 36mm flat side CV carburettors	3 x 36mm flat side CV carburettors	3 x 36mm flat side CV carburettors
Transmission			-	•			
Primary Drive		Gear	Gear	Gear	Gear	Gear	Gear
Clutch		Wet, multi-plate	Wet, multi-plate	Wet, multi-plate	Wet, multi-plate	Wet, multi-plate	Wet, multi-plate
Gearbox		6-speed	6-speed	6-speed	5-speed	5-speed	6-speed
Electrics							
Ignition		Digital - Inductive type	Digital - Inductive type	Digital - Inductive type	Digital - Inductive type	Digital - Inductive type	Digital - Inductive type
Headlight		2 x 12v 60/55w halogen H4	1 x 12v 60/55w halogen H4	1 x 12v 60/55w halogen H4	1 x 12v 60/55w halogen H4	1 x 12v 60/55w halogen H4	1 x 12v 60/55w halogen H4
Cycle Parts							
Frame		Micro alloyed high tensile steel	Micro alloyed high tensile steel	Micro alloyed high tensile steel	Micro alloyed high tensile steel	Micro alloyed high tensile steel	Micro alloyed high tensile steel
Swinging Arm		Aluminium alloy with eccentric chain adjuster	Aluminium alloy with eccentric chain adjuster	Aluminium alloy with eccentric chain adjuster	Aluminium alloy	Aluminium alloy	Aluminium alloy
Wheels	Front:	Alloy 36 spoke alloy rim, 19"x 2.5"	Alloy 6 spoke, 17"x 3.5"	Alloy 6 spoke, 17"x 3.5"	Alloy 36 spoke, 18"x 2.5"	Alloy 36 spoke, 18"x 2.5"	Alloy 36 spoke, 17"x 3.5"
	Rear:	Alloy 40 spoke alloy rim, 17"x 3.0"	Alloy 6 spoke, 18"x 4.5"	Alloy 6 spoke, 18"x 4.5"	Alloy 40 spoke, 16"x 3.5"	Alloy 40 spoke, 16"x 3.5"	Alloy 40 spoke, 17"x 4.25"
Tyres	Front:	110/80 19	120/70 ZR 17	120/70 ZR 17	110/80 18	110/80 18	120/70 R 17
Suspension	Rear: Front:	140/80 17 43mm forks	160/60 ZR 18	160/60 ZR 18	160/80 16 or 150/80 16	160/80 16 or 150/80 16	160/70 R 17
Suspension	Front;	45mm torks	43mm forks with triple rate springs	43mm forks with triple rate springs	43mm forks with triple rate springs	43mm forks with triple rate springs	43mm forks with triple rate springs adjustable for compression, rebound damping and spring pre-load
	Rear:	Monoshock with remote reservoir adjustable pre-load, compression and rebound damping	Monoshock with remotely adjustable pre-load	Monoshock with remotely adjustable pre-load and rebound damping	Monoshock adjustable for pre-load	Monoshock adjustable for pre-load	Monoshock adjustable for compression, rebound damping and spring pre-load
Brakes	Front:	2 x 276mm floating discs 2 x 2 piston calipers	2 x 296mm discs 2 x 2 piston calipers	2 x 296mm discs 2 x 2 piston calipers	Single 320mm disc	Single 320mm disc	2 x 310mm disc
	Rear:	1 x 255mm disc, 1 x 2 piston caliper	1 x 255mm disc 1 x 2 piston caliper	1 x 255mm disc 1 x 2 piston caliper	285mm disc	285mm disc	285mm disc
Dimensions							
Length		2175mm (85.6in)	2152mm (84.7in)	2152mm (84.7in)	2170mm (85.4in)	2250mm (88.6in)	2250mm (88.6in)
Width		860mm (33.8in)	760mm (29.9in)	760mm (29.9in)	750mm (29.5in)	860mm (33.8in)	700mm (27.5in)
Height		1345mm (52.9in)	1090mm (42.9in)	1090mm (42.9in)	1290mm (50.8in)	1150mm (45.3in)	1105mm (43.5in)
Seat Height		850mm (33.4in)	775mm (30.5in)	775mm (30.5in)	750mm (29.5in)	750mm (29.5in)	790mm (31.1in)
Wheelbase		1560mm (61.4in)	1510mm (59.4in)	1510mm (59,4in)	1580mm (62.2in)	1580mm (62.2in)	1580mm (62.2in)
Weight (Dry)		220kg (485lb)	212kg (467lb)	212kg (467lb)	225kg (496lb)	220kg (485lb)	224kg (494lb)
Performance (Measured to D	IN 70020)						
Maximum Power		85 PS (84 bhp) at 8000 rpm	90 PS (89 bhp) at 10000 rpm	98 PS (97 bhp) at 9000 rpm	70 PS (69 bhp) at 8000 rpm	70 PS (69 bhp) at 8000 rpm	83 PS (82 bhp) at 8500 rpm
Maximum Torque		82 Nm (60 lbf.ft) at 6000 rpm	68 Nm (50 lbf.ft) at 8700 rpm	83 Nm (61 lbf.ft) at 6500 rpm	72 Nm (53 lbf.ft) at 4800 rpm	72 Nm (53 lbf.ft) at 4800 rpm	76 Nm (56 lbf.ft) at 6500 rpm
Maximum Revs		8750 rpm	11000 rpm	9700 rpm	8750 rpm	8750 rpm	8750 rpm
Colours		British Racing Green Volcanic Red Jet Black	Pacific Blue	Pacific Blue & Silver Jet Black & Ruby Red	Jet Black & Silver Turquoise & Silver	Imperial Green & Silver Jet Black & Tornado Red Cardinal Red & Silver Jet Black	Racing Yellow & Jet Black Tornado Red & Jet Black

Triumph Distributors Worldwide

GREAT BRITAIN

Triumph Motorcycles Limited Hinckley

Tel: 44 1455 251700

Fax: 44 1455 251367

ARGENTINA

MotoMel SA **Buenos Aires**

Tel: 541 865 3879 Fax: 541 865 3917

AUSTRALIA

Triumph Australia Melbourne, Victoria

Tel: 61 39 642 5660

Fax: 61 39 600 4094

AUSTRIA

Triumph Deutschland GmbH Friedrichsdorf/Koeppern Tel: 49 6175 93360

Fax: 49 6175 933627

BENELUX

Greenib BV

Warmond. The Netherlands Tel: 31 71 301 92 92

Fax: 31 71 301 93 80

BRAZIL

Triumph do Brasil **Belo Horizonte**

Tel: 55 31 411 7696 Fax: 55 31 411 6391 CANADA

Triumph Canada Woodstock, New Brunswick Tel: 1 888 4 TRIUMPH

Fax: 1 506 328 3186

CYPRUS

Fairways Nicosia Ltd

Nicosia

Tel: 357 2 337728 Fax: 357 2 452663

CZECH REPUBLIC

Triumph Ceska republika s.r.o.

Praha

Tel: 420 2 52 31 69 Fax: 420 2 52 31 69

DENMARK

Triumph DK Galten

Tel: 45 86 946486

Fax: 45 86 944447

FINLAND

Vehicletech Trading Oy Ylihärmä

Tel: 358 6 4822700 Fax: 358 6 4843700

FRANCE

Triumph France SA Croissy-Beaubourg

Tel: 331 64 62 3838

Fax: 331 64 80 5828

Triumph Deutschland GmbH Friedrichsdorf/Koeppern

Tel: 49 6175 93360 Fax: 49 6175 933627

GREECE

Triumph Hellas

Athens

Tel: 301 976 5917/5919

Fax: 301 976 5918

HONG KONG

All Motorcycles

North Point

Tel: 852 2887 0498

Fax: 852 2807 1246

ISRAEL

PTS Limited

Tel-Aviv Tel: 972 3 6834105

Fax: 972 3 6826888

ITALY

Numero Tre S.R.L. Arese-Milan

Tel: 39 2 935 82000

Fax: 39 2 935 81922

JAPAN

Rays Corporation

Osaka

Tel: 816 746 1010 Fax: 816 746 6652 KUWAIT/SAUDI ARABIA/BAHRAIN **Desert Star Trading Company**

Safat

Tel: 965 484 9830

Fax: 965 484 0078

MALAYSIA

Jayaplus Motor SDN BHD

Kuala Lumpur

Tel: 603 2426162

Fax: 603 2489 917

MALTA

Cycle World Limited

Msida

Tel: 356 313013

Fax: 356 318877

MEXICO

Pro-Pisa de CV Col de Carmen

Tel: 525 554 9930

Fax: 525 659 0103

NEW ZEALAND

Triumph New Zealand

Auckland Tel: 649 276 6453

Fax: 649 276 4065

NORWAY

Colco Motor A/S N-1341 Bekkestua

Tel: 47 67 113465

Fax: 47 67 113470

PORTUGAL

Abol Motos Lisboa

Tel: 351 1315 9920 Fax: 351 1353 1233

SINGAPORE

Minerva Motor Pte Ltd

Singapore

Tel: 65 298 4777 Fax: 65 292 9800

SOUTH AFRICA

Triumph Motorcycles South Africa

Sandton

Tel: 27 448 1165 Fax: 27 448 1222

SPAIN

Proeuropa Motor SL

Madrid

Tel: 34 1 4332585

Fax: 34 1 5522576

SWEDEN

English Motorcycle AB

Huddinge

Tel: 46 8 88 70 50

Fax: 46 8 88 38 60

SWITZERLAND

MOHAG Motorfahrzeug-Handels AG

Zurich

Tel: 41 1434 8686 Fax: 41 1434 8606 THAILAND

Thunderbirds (Thailand) Ltd

Bangkok

Tel: 662 731 3165

Fax: 662 731 1971

TURKEY

Demaks Motor VE Servis A.S.

Istanbul

Tel: 90 216 442 00 01 Fax: 90 216 383 06 34

UNITED ARAB EMIRATES

Motorcycle City

Dubai

Tel: 971 4 338 336

Fax: 971 4 338 337

URUGUAY

Deceleste SA

Montevideo Tel: 598 294 8848

Fax: 598 294 4229

Triumph Motorcycles America Ltd

Peachtree City, Georgia

Tel: 1 770 631 9500

Fax: 1 770 631 6401

ZIMBABWE

Clark Marine (PVT) Limited

Harare

Tel: 263 4 305499 Fax: 263 4 305498



At Triumph we want every ride to be safe and enjoyable. Be sure to ride safely, defensively and within the limits of the law and your abilities. Take a riding skills course. Always wear an approved helmet, eye protection and appropriate protective clothing and insist that any passenger does the same. Never ride while under the influence of alcohol or drugs. Study your owner's manual and always inspect your Triumph before riding.

© 1997 Triumph Motorcycles Limited all rights reserved. Triumph, Daytona T595, T509 Speed Triple, Sprint Sports, Sprint Executive, Trophy, Tiger, Trident, Adventurer, Thunderbird and Thunderbird Sport are trademarks of Triumph Motorcycles Limited. Specifications and models correct at time of going to press. Manufacturer reserves the right to make changes without prior notice. All figures relevant to UK specification. Performance measured to DIN 70020. Please consult your local dealer for model and colour availability. Triumph Motorcycles Limited, Leicestershire, Great Britain. Web site http://www.Triumph.co.uk